

GREEN FOREST



Platek[®]

IT-EN
2022

OUTDOOR LIGHTING

IT - Platek è un'azienda internazionale proiettata all'innovazione nel settore dell'illuminazione architettonica e decorativa per esterni. La gamma di prodotti comprende sistemi integrati di illuminazione architettonica, composti da incassi a pavimento, applique, sospensioni, proiettori e paletti, tutti con gruppi ottici con tecnologia LED progettati internamente e realizzati in esclusiva per Platek.

Il grande know-how del gruppo Donati, del quale Platek fa parte, nella fusione dei metalli e delle leghe di alluminio ha permesso all'azienda di progettare e realizzare corpi illuminanti sempre più compatti e performanti, sia sotto il profilo della potenza luminosa che dell'efficienza energetica. Platek indaga il rapporto tra l'uomo e l'ambiente per migliorare la qualità della vita attraverso l'illuminazione efficiente e sostenibile, portando la giusta quantità di luce dove serve per esplorare nuovi modi di vivere gli spazi residenziali, per valorizzare le architetture, il patrimonio storico e per creare paesaggi luminosi nelle aree verdi.

EN - Platek is an international company projected to innovate in the field of architectural and decorative outdoor lighting. The range of products includes integrated architectural lighting systems consisting of floor recessed concealed lighting, appliques, suspensions, projectors and posts. All these products have an optical systems with LED technology, managed internally by the company. The excellent know how of the Donati Group - to which Platek belongs - in metal casting allowed the company to design and realize increasingly compact and high-performance lighting fixtures, both in terms of luminous power and energy efficiency.

Platek investigates the relationship between man and the environment to improve quality of life through efficient and sustainable lighting, bringing the right quantity of light where needed in order to explore new ways of reviving residential spaces, to enhance the architecture, the historical and the cultural heritage of the area, and to create luminous landscapes in green areas.

GREEN FOREST



PLATEK - GREEN FOREST

PLATEK - GREEN FOREST

IT - Platek celebra la nuova nuance Green Forest delle collezioni Chiodo, Chiodino, Frog e Nano ispirata dalla natura per i Design Lovers. Green Forest inaugura un percorso fatto di sofisticate finiture e inusuali scelte cromatiche per alcune delle icone più note del catalogo Platek. Vivere all'aperto è connettersi con la natura ed il paesaggio e il nuovo colore si integra perfettamente nello spazio esterno. Uno spazio da decorare e illuminare, con prodotti di design e suggestioni di colore che trasformano l'esperienza dell'outdoor living.

EN - Platek celebrates the new Green Forest nuance for Chiodo, Chiodino, Frog, and Nano collections: a color inspired by nature and dedicated to design lovers. Green Forest starts a new path made of fine finishes and surprising chromatic choices for some of Platek's most famous icons. Living outside means to connect with nature and landscapes, and the new color perfectly fits the outdoor environment. A space to decorate and illuminate, with design products and evocative colors evolving the experience of the outdoor living.

CHIDO CHIODINO

design by Danesi & Buzzoni

PLATEK - GREEN FOREST



PLATEK - GREEN FOREST



CHIODO spike



CHIODO spike



CHIODINO spike



CHIODINO spike



CHIODINO spike

spike / bollard




CHIODINO
spike / bollard

IP65
IK 05

ø 110 × h. 500 mm
ø 110 × h. 1000 mm
ø 110 × h. 1600 mm

h. 500 mm: 4,5 m cable length
h. 1000 mm: 4 m cable length
h. 1600 mm: 3,4 m cable length



WHITE LED

3000K CRI>90
24V DC -

→ h. 500 mm



6W | 430 lm (*)



93° diffuse beam
495 cd/klm

→ h. 1000 mm



6W | 430 lm (*)



93° diffuse beam
495 cd/klm

→ h. 1600 mm



6W | 430 lm (*)



93° diffuse beam
495 cd/klm



CHIODO spike

spike / bollard




CHIODO
spike / bollard

IP65
IK 07

ø 180 × h. 605 mm
ø 180 × h. 1105 mm
ø 180 × h. 1705 mm

h. 600 mm: 4,4 m cable length
h. 1100 mm: 3,9 m cable length
h. 1700 mm: 3,3 m cable length



WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕

→ h. 600 mm



12W | 595 lm (*)



93° diffuse beam
400 cd/klm

→ h. 1100 mm



12W | 595 lm (*)



93° diffuse beam
400 cd/klm

→ h. 1700 mm



12W | 595 lm (*)



93° diffuse beam
400 cd/klm

(*) Real Data

ESAGONO

design by Maurizio Quargnale

PLATEK - GREEN FOREST




PLATEK - GREEN FOREST



ESAGONO spike



ESAGONO spike



ESAGONO

mobile product




ESAGONO
mobile product

IP65
IK 05

600 mm
1200 mm

5 m cable length



WHITE LED

3000K CRI>80
220-240V 0/50/60Hz ⊕

→ 600 mm



11W | 375 lm (*)



sandblasted
71° - 508 cd/klm

→ 1200 mm



22W | 750 lm (*)



sandblasted
71° - 508 cd/klm



ESAGONO hook fastener



ESAGONO hook fastener

FROG

design by Sara Moroni





FROG spike



FROG spike



FROG spike


FROG



FROG

IP66
IK 08

3 m cable length



COB WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕

TRIAC dimmable



9,6W | 655 lm (*)



9,6W | 595 lm (*)



26°
3090 cd/klm



45°
1220 cd/klm



9,6W | 570 lm (*)



102°
400 cd/klm

(*) Real Data



FROG spike

NANO NANO XL NANO XXL

floodlight





NANO XL floodlight



NANO XL floodlight



NANO floodlight



NANO XL floodlight



NANO XXL Anchor belt



NANO XL floodlight

Aluminium floodlight




NANO
NANO XL
NANO XXL
floodlight

IP66
IK 08

ø 35 x h. 63 mm
ø 50 x h. 90 mm
ø 80 x h. 143 mm

5 m cable length



NANO floodlight

WHITE LED

3000K CRI>80
24V DC ⚡
power supply to be ordered
separately



2,7W | 175 lm (*)



2,7W | 160 lm (*)



14°
12720 cd/klm



21°
5600 cd/klm



2,7W | 150 lm (*)



2,7W | 160 lm (*)



33°
2580 cd/klm



45° x 13°
4530 cd/klm

NANO XL floodlight

COB WHITE LED

3000K CRI>80
220-240V 50/60Hz ⚡
dimnable TRIAC



7,5W | 300 lm (*)



7,5W | 310 lm (*)



20°
12720 cd/klm



30°
2580 cd/klm

NANO XXL floodlight

COB WHITE LED

3000K CRI>80
220-240V 50/60Hz ⚡
dimnable TRIAC



16W | 970 lm (*)



16W | 1000 lm (*)



32°
5600 cd/klm



50°
2580 cd/klm

(*) Real Data

Platek Srl
Registered Office: Via Paderno, 19
Head Office: Via Marrocco, 4
25050—Rodengo Saiano (BS), Italy
P.Iva 03320290178
C.F. 03007130176

T +39 030 68 18 201
F +39 030 68 16 567
info@platek.eu
www.platek.eu

Art Direction
Gusto IDS
Platek
Graphic design
Gusto IDS
Platek

Photo
Ottavio Tomasini

© Platek 2022

FOLLOW US

youtube.com/platek
pinterest.it/platek
linkedin.it/platek
instagram.com/platek
facebook.com/platek

Platek ON LINE

bimobject.com/platek
archiproducts.com/platek
architonic.com/platek
archilovers.com/platek

Information

The data in this document are valid on the print date.
Any updates are available on our website www.platek.eu

FOLLOW US



GREEN
FOREST

IT-EN
2022