

ROSE BALLERINA

Platek®

IT-EN
2022

OUTDOOR LIGHTING

IT - Platek è un'azienda internazionale proiettata all'innovazione nel settore dell'illuminazione architettonica e decorativa per esterni. La gamma di prodotti comprende sistemi integrati di illuminazione architettonica, composti da incassi a pavimento, applique, sospensioni, proiettori e paletti, tutti con gruppi ottici con tecnologia LED progettati internamente e realizzati in esclusiva per Platek.

Il grande know-how del gruppo Donati, del quale Platek fa parte, nella fusione dei metalli e delle leghe di alluminio ha permesso all'azienda di progettare e realizzare corpi illuminanti sempre più compatti e performanti, sia sotto il profilo della potenza luminosa che dell'efficienza energetica. Platek indaga il rapporto tra l'uomo e l'ambiente per migliorare la qualità della vita attraverso l'illuminazione efficiente e sostenibile, portando la giusta quantità di luce dove serve per esplorare nuovi modi di vivere gli spazi residenziali, per valorizzare le architetture, il patrimonio storico e per creare paesaggi luminosi nelle aree verdi.

EN - Platek is an international company projected to innovate in the field of architectural and decorative outdoor lighting. The range of products includes integrated architectural lighting systems consisting of floor recessed concealed lighting, appliques, suspensions, projectors and posts. All these products have an optical systems with LED technology, managed internally by the company. The excellent know how of the Donati Group - to which Platek belongs - in metal casting allowed the company to design and realize increasingly compact and high-performance lighting fixtures, both in terms of luminous power and energy efficiency.

Platek investigates the relationship between man and the environment to improve quality of life through efficient and sustainable lighting, bringing the right quantity of light where needed in order to explore new ways of reviving residential spaces, to enhance the architecture, the historical and the cultural heritage of the area, and to create luminous landscapes in green areas.

ROSE BALLERINA

IT - Delicato e audace. Non convenzionale e versatile. Rose Ballerina è il colore moderno per eccellenza che dona a prodotti e progetti un tocco di unicità e freschezza. È l'ultima affermazione di Platek: una tonalità che viaggia per le strade dello stile e porta la dolce carezza della natura. La natura è la più potente fonte di ispirazione e bellezza. Lo stile è il modo più libero per esprimere identità e raccontare storie personali. Rose Ballerina traduce in un colore l'intersezione di questi mondi: due mondi diventano una sfumatura. Trovare l'essenza della moda della natura significa dare vita a una tendenza senza tempo, qualcosa che manterrà il suo fascino per sempre. Platek ha deciso di vestire di Rose Ballerina una selezione di prodotti il cui design e attitudine racchiudono questo legame tra natura e stile, con forme minimali che seguono lineamenti e geometrie pure che riecheggiano il linguaggio architettonico urbano.

EN - Delicate and bold. Unconventional and versatile. Rose Ballerina is the quintessential modern color that gives products and projects a touch of freshness and originality. It is Platek's ultimate statement: a shade that walks the streets of style and brings the gentle caress of nature. Nature is the most powerful source of inspiration and beauty. Style is the freest way to express identities and tell personal stories. Rose Ballerina translates the intersection of these worlds into a color: two worlds become one shade. Finding the essence of nature's style means giving birth to a timeless trend, something that will keep its appeal forever. Platek decided to dress in Rose Ballerina a selection of products whose design and attitude encapsulate this bond between nature and style, with minimal shapes and pure geometries echoing the urban architectural language.

FLAMINGO

design by Sara Moroni





FLAMINGO floor



FLAMINGO floor





ceiling mounted



FLAMINGO
ceiling mounted

IP65
IK 06

h. 170 mm
h. 800 mm



COB WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕

TRIAC dimmable



7,5W | 385 lm (*)



75° diffuse beam
680 cd/klm



applique



FLAMINGO
applique

IP65
IK 06

370 mm
1400 x h. 850 mm
1400 x h. 2200 mm



COB WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕

TRIAC dimmable



7,5W | 385 lm (*)



75° diffuse beam
680 cd/klm



FLAMINGO floor

floor




FLAMINGO
floor

IP65
IK 06

h. 1500 mm
h. 1900 mm

5 m cable length
Prise SCHUKO IP44 incluse



COB WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕

TRIAC dimmable



7,5W | 385 lm (*)



75° diffuse beam
680 cd/klm

bollard




FLAMINGO
bollard

IP65
IK 06

h. 800 mm
h. 1500 mm
h. 1900 mm

IP68 connector included



COB WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕

TRIAC dimmable



7,5W | 385 lm (*)



75° diffuse beam
680 cd/klm


ETEREA

design by Danesi & Buzzoni





ETEREA medium



ETEREA large



ETEREA large

outdoor table lamp




ETEREA 2.0
mains voltage

IP65
IK 08

153 x 153 x h. 300 mm
215 x 215 x h. 455 mm

5 m cable length



WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕

→ medium



9,6W | 385 lm (*)
dimmmable TRIAC



114° diffuse beam
420 cd/klm

→ large



17,5W | 735 lm (*)



114° diffuse beam
402 cd/klm


battery lamp



ETEREA 2.0
battery

IP65
IK 07

100 x 100 x h. 200 mm
150 x 150 x h. 300 mm
216 x 216 x h. 455 mm



WHITE LED

3000K CRI>90
battery 🔋

cable USB 1,2 m included
battery autonomy: 6 hours

→ h. 200 mm



1W | 80 lm (*)



100° diffuse beam
482 cd/klm

→ h. 300 mm



2,8W | 275 lm (*)



100° diffuse beam
443 cd/klm

→ h. 455 mm



2,8W | 275 lm (*)



100° diffuse beam
443 cd/klm

(*) Real Data

wall mounted


news 2022



ETEREA SLIM
wall mounted

IP65
IK 08

90 x 150 x h. 300 mm
125 x 220 x h. 360 mm



WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕

→ medium



6W | 450 lm (*)



Asymmetric
420 cd/klm

→ large



12W | 850 lm (*)



Asymmetric
420 cd/klm


wall mounted



ETEREA 2.0
wall mounted

IP65
IK 08

100 x 100 x h. 200 mm
150 x 150 x h. 300 mm
216 x 216 x h. 455 mm



IP connector included

ETEREA small / medium
WHITE COB LED

→ h. 200 mm



4W | 200 lm (*)



88°
529 cd/klm

→ h. 300 mm



9,6W | 385 lm (*)



114°
385 cd/klm

ETEREA large
WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕

→ h. 455 mm



17,5W | 735 lm (*)



114°
420 cd/klm


(*) Real Data

MESH

design by Marco Acerbis

PLATEK - ROSE BALLERINA

PLATEK - ROSE BALLERINA





MESH battery



MESH battery



MESH battery



MESH floor



MESH floor

battery / mains voltage



MESH
table lamp

IP65
IK 07

ø 200 x h. 420 mm



WHITE LED
3000K CRI>90

battery

mains voltage
220-240V 50/60Hz

→ battery



4,5W | 115 lm (*)



87° diffuse beam
545 cd/klm

→ mains voltage



12W | 295 lm (*)



87° diffuse beam
545 cd/klm

bollard / floor




MESH
bollard / floor

IP65
IK 07

ø 200 x h. 800 mm
ø 200 x h. 1200 mm

IP68 connector included



WHITE LED

3000K CRI>90
220-240V 50/60Hz



12W | 295 lm (*)



87° diffuse beam
295 cd/klm

(*) Real Data

applique



MESH
applique

IP65
IK 06

ø 200 x h. 190 mm

IP68 connector included



WHITE LED

3000K CRI>90
220-240V 50/60Hz



12W | 310 lm (*)



87° diffuse beam
537 cd/klm

ceiling mounted




MESH
ceiling mounted

IP65
IK 07

ø 200 x h. 480 mm
ø 200 x h. 880 mm

IP68 connector included



WHITE LED

3000K CRI>90
220-240V 50/60Hz



12W | 310 lm (*)



87° diffuse beam
537 cd/klm

(*) Real Data





MESH XL floor

floor




MESH XL
floor

IP65
IK 07

ø 500 x h. 1900 mm

3 m cable length
(C/W IP44 SCHUKO plug)



WHITE LED

3000K CRI>90
220-240V 50/60Hz ⊕
TRIAC dimmable



27W | 1520 lm (*)



82° diffuse beam
560 cd/klm

ceiling mounted




MESH XL
ceiling mounted

IP65
IK 07

ø 500 x h. 635 mm

IP68 connector included



WHITE LED

3000K CRI>90
220-240V 50/60Hz ⊕
TRIAC dimmable



27W | 1620 lm (*)



82° diffuse beam
560 cd/klm





CHIODO spike



CHIODO spike

spike / bollard




CHIODINO
spike / bollard

IP65
IK 05

ø 110 × h. 500 mm
ø 110 × h. 1000 mm
ø 110 × h. 1600 mm

h. 500 mm: 4,5 m cable length
h. 1000 mm: 4 m cable length
h. 1600 mm: 3,4 m cable length



WHITE LED

3000K CRI>90
24V DC - ⚡

→ h. 500 mm



6W | 430 lm (*)



93° diffuse beam
495 cd/klm

→ h. 1000 mm



6W | 430 lm (*)



93° diffuse beam
495 cd/klm

→ h. 1600 mm



6W | 430 lm (*)



93° diffuse beam
495 cd/klm

spike / bollard




CHiodo
spike / bollard

IP65
IK 07

ø 180 × h. 605 mm
ø 180 × h. 1105 mm
ø 180 × h. 1705 mm

h. 600 mm: 4,4 m cable length
h. 1100 mm: 3,9 m cable length
h. 1700 mm: 3,3 m cable length



WHITE LED

3000K CRI>80
220-240V 50/60Hz ⚡

→ h. 600 mm



12W | 595 lm (*)



93° diffuse beam
400 cd/klm

→ h. 1100 mm



12W | 595 lm (*)



93° diffuse beam
400 cd/klm

→ h. 1700 mm



12W | 595 lm (*)



93° diffuse beam
400 cd/klm

ESAGONO

design by Maurizio Quargnale

PLATEK - ROSE BALLERINA

PLATEK - ROSE BALLERINA





ESAGONO



ESAGONO



ESAGONO

mobile product




ESAGONO
mobile product

IP65
IK 05

600 mm
1200 mm

5 m cable length



WHITE LED

3000K CRI>80
220-240V 0/50/60Hz ⊕

→ 600 mm



11W | 375 lm (*)



71° sandblasted
508 cd/klm

→ 1200 mm



22W | 750 lm (*)



71° sandblasted
508 cd/klm

PASSO

design by Danesi & Buzzoni

PLATEK - ROSE BALLERINA



PLATEK - ROSE BALLERINA



PASSO

grazing lighting / applique




PASSO

IP65
IK 06

110 x 145 mm

stainless steel AISI 316L
corten finish

3 m cable length



WHITE LED

3000K CRI>80
24V DC - ⚡stainless steel
7,5W | 90 lm (*)corten finish
7,5W | 90 lm (*)1 opening
diffuse beam
1390 cd/klm1 opening
diffuse beam
1390 cd/klm

Platek Srl
Registered Office: Via Paderno, 19
Head Office: Via Marrocco, 4
25050—Rodengo Saiano (BS), Italy
P.Iva 03320290178
C.F. 03007130176

T +39 030 68 18 201
F +39 030 68 16 567
info@platek.eu
www.platek.eu

Art Direction
Gusto IDS
Platek
Graphic design
Gusto IDS
Platek

Photo
Ottavio Tomasini

© Platek 2022

FOLLOW US

youtube.com/platek
pinterest.it/platek
linkedin.it/platek
instagram.com/platek
facebook.com/platek

Platek ON LINE

bimobject.com/platek
archiproducts.com/platek
architonic.com/platek
archilovers.com/platek

Information

The data in this document are valid on the print date.
Any updates are available on our website www.platek.eu

FOLLOW US



ROSE
BALLERINA

IT-EN
2022